

DI

D - CODED INFRARED

Well Designed Comfort For Body and Mind

INSTRUCTION MANUAL

DCI LOUNGER - COMFORT AND PREMIUM EDITION

Thank you for purchasing the D-Coded Infrared Lounger. We are confident that you will enjoy the many benefits of using it for years to come.

Carefully and thoroughly read this manual to properly start and use the DCI Lounger in accordance with its intended use and the warranty terms.

Please find the warranty on the last page of the manual.

The D-Coded Infrared Lounger is protected by patents in the European Union.

Keep this Instruction Manual for future reference.

Contents

1. Safety and use	3
2. Diagram of the DCI Lounger.....	6
3. Maintenance and service.....	8
4. Operation and intended use	8
5. Use	9
6. Contraindications	9
7. Technical data and information	11
8. WARRANTY.....	12
9. Customer Service contact number and e-mail... ..	13

1. Safety and use

Safety warning

- Please read the Instruction Manual before using the Lounger.
- Use the Lounger in accordance with the Instruction Manual.
- The DCI Lounger may not be used by children under age of 3.
- Please make sure that children do not touch the moving parts of the DCI Lounger.
- Unplug the DCI Lounger before cleaning or maintenance to avoid injury or damage to the DCI Lounger.
- Do not use the DCI Lounger outdoors.
- Do not use the DCI Lounger in a manner different than as described in this Instruction Manual.
- Do not use the DCI Lounger if the wood is damaged.
- Do not use the DCI Lounger under the influence of alcohol.

Environment

- Do not use the DCI Lounger in places with high temperature and air humidity, e.g., bathrooms.
- Do not use the DCI Lounger in dusty places.
- Do not use the DCI Lounger in small spaces or with poor air circulation.

In view of its wooden structure and aesthetic qualities, the DCI Lounger is designed for use at temperature ranges from -10°C to $+50^{\circ}\text{C}$ (14°F to 122°F). The DCI Lounger should not be exposed to water, rain, snow, hail, dew or fog. Excessive humidity may lead to deformation and accelerated wear and tear of the structural elements.

Safety

Before plugging in the DCI Lounger, check if the voltage corresponds to the voltage required in the DCI Lounger specifications (230V).

Make sure that no water gets into the DCI Lounger.

Do not plug in the DCI Lounger with wet hands.

Do not use the DCI Lounger when it does not work properly. In such case, consult with the vendor.

Consult a doctor before using the DCI Lounger, and stop using the DCI Lounger if you have developed any symptoms. The DCI Lounger is not intended for use by persons with limited physical, sensory or intellectual capacities or those without experience and knowledge, unless accompanied by an adult and instructed how to use the DCI Lounger. The DCI Lounger is not a toy.

NOTE: Do not use the power cable to move the DCI Lounger.


Inappropriate handling of the DCI Loungers with live electrical components may cause serious bodily harm and damage to the DCI Lounger.

The wooden base of the DCI Lounger has been designed in a manner to ensure a high level of comfort, as well as the maximum safety and stability. Due to the shape of its base, in the case of a sudden motion the DCI Lounger may start to move like a rocking chair. Therefore, before taking the ultimate position, one should stabilize the DCI Lounger and then sit only in the central, lowest area. In this position, it is easy to lie on your back and place your legs in the heating area of the DCI Lounger.

The DCI Lounger is not a toy such as a rocking horse. Children should only use it when accompanied by an adult.


HOW TO SIT DOWN PROPERLY ON THE DCI LOUNGER

Sit on the central, lowest area.




CORRECT LYING POSITION


Rest comfortably on your back and place your legs on the heating area of the DCI Lounger.




2. Diagram of the DCI Lounger



Control panel diagram



Remote control diagram



3. Maintenance and service

- The DCI Lounger should be serviced by specialized service provider indicated by the vendor.
- Unplug the DCI Lounger before starting any service or maintenance work.
- Do not plug the DCI Lounger to a damaged electrical outlet.
- If the DCI Lounger is not going to be used during prolonged periods, coil the cable, cover the DCI Lounger and store it in a dry place.
- Do not put DCI Lounger near fire and protect it against prolonged exposure to the sun.
- Clean the DCI Lounger with a dry cloth, do not use solvents, petrol or alcohol. It is recommended to use wood cleaning and care products.
- Components have been designed and adapted specifically for the DCI Lounger.
- Do not move the DCI Lounger on uneven surfaces. The DCI Lounger should be moved on its wheels.

Troubleshooting Guide

- If the heating function does not work, check if the DCI Lounger has been properly plugged in and if the voltage is appropriate.
- Do not attempt to repair the DCI Lounger, only authorized service providers should do so.
- If the remote control does not work properly, check the batteries and if the DCI Lounger is correctly plugged in.
- If the power cable or other part of the DCI Lounger is damaged, it must be replaced. Contact the vendor or a qualified person recommended by the vendor to avoid bodily harm.

4. Operation and intended use

Intended use

The DCI Lounger has a built-in heating mat that generates infrared radiation, the so-called far infrared (FIR), of 24V voltage which ensures full safety and high comfort. FIR radiation has a beneficial impact and regenerates the human body. Boosting the skin blood supply, it has a positive influence on muscles, internal organs and bones. The positive action of FIR radiation has been scientifically confirmed with regards to, among others, relieving back pains, contractures, inflammations or colds*.

The heating area of the DCI Lounger is covered with natural birch wood (*Betula pendula*), walnut or ash wood to increase heat conduction.

*Tei C. Waon Therapy: soothing warmth therapy (*J Cardiol* 2007)

* Ise N, Katsuura T, Kikuchi Y, Miwa E. Effect of far-infrared radiation on forearm skin blood flow (*Ann Physiol Anthropol* 1987)

Operation

The use of the DCI Lounger is easy and intuitive. When lying on the DCI Lounger, the body is warmed with FIR up to 4 cm (1½ ") inside, which activates the natural regeneration. The heat dilates blood vessels and improves circulation which enhances metabolism, making it easier for the blood system to transport nutrients and oxygen to cells. The process also accelerates toxin removal.

5. Use

1. Plug the 24V power cable plug No. 3 to the 24V socket No. 2 in the back of the DCI Lounger (see: diagram p. 6).
2. Plug the 230V power cable into the 24V power supply No. 4 and the plug No. 5 into the 230V socket (see: diagram p. 5). The illuminated red diode at the ON-OFF button No. 1 located in the control panel or remote control, if included, confirms the appropriate power connection of the DCI Lounger.
3. Press the ON/OFF button No. 1, on the remote control, if included, or the control panel which, depending on the DCI Lounger version, may be located on the DCI Lounger back, on the top left-hand corner, or on the right side. When the ON-OFF button No. 1 in the control panel or remote control is pressed, all four diodes will light up. The fourth one will flash which means that the heating process of the DCI Lounger heating area has started. The DCI Lounger will reach the basic working temperature within 10 minutes. When the fourth diode stops flashing, i.e. all four diodes are lit, the DCI Lounger is ready to use.
4. The heating intensity of the DCI Lounger may be reduced or increased at any time, depending on the User's needs or preferences, using the 'plus/minus' button in the control panel or remote control, if included. The user may use four levels of the DCI Lounger heating intensity. Each of the levels is displayed in the control panel and/or remote control (illuminated LED diodes). Four diodes on show the highest heating intensity of the DCI Lounger. One diode on means the lowest level of the heating intensity which entails a proportional reduction of temperature of the DCI Lounger heating area.

The DCI Lounger will turn off automatically after 60 minutes of uninterrupted operation, starting from the time of turning it on. After several short sound signals, the DCI Lounger will be turned off. If the User turns the DCI Lounger on again within 10 minutes following the turning off, the last setting will be memorized and restarted.

If the DCI Lounger is turned on again after a time longer than 10 minutes, the heating process will be reset and the DCI Lounger will be ready to use after 10 minutes (see: point 3).

6. Contraindications

If you have any medical condition always **seek** the **advice** of your physician or another qualified **health** provider before using the DCI Lounger.

Disclaimer

The infrared rays are reported to offer a wide range of possible therapeutic benefits based on research completed over the last 30 years from all around the world. These benefits are presented for reference purposes only and are not intended to diagnose, treat, cure, or prevent any disease or health condition.

Withdrawal from use

If the lounger must be withdrawn from use, one should remember that it does meet the requirements for municipal waste management (e.g. it is not bulky waste).

The User is obliged to deliver the lounger or its parts to the Special Municipal Waste Collection Unit dealing with management of waste electrical and electronic equipment. Proper management of waste electrical and electronic equipment contributes to avoiding negative impact on human health and natural environment.

In accordance with the EU Directive 2002/96/EC and the Polish act on waste electrical and electronic equipment, the DCI lounger is marked with the crossed-out wheellie bin symbol.

7. Technical data and information

Size of the DCI Lounger:

- Length 180 cm / 70 1/2"
- Height 89.5 cm / 35 1/4"
- Width 64 cm / 25 3/16"

Weight 31 kg / 68.34 lbs
Maximum load 160 kg / 352.73 lbs

The DCI Lounger structure is made of wood, wood-based and metal components. The heating area cover is made of natural birch (*Betula pendula*), ash or walnut.

Ambient temperature appropriate to turn the device on: -10°C to +50°C (14°F to 122°F).

The electrical module consists of the following components:

- control panel,
- remote control (if included),
- 230V power cable of 3 m, compliant with RoHS Directive,
- switched-mode power supply - 24V DC output voltage, 280.08W power, 24V power cable of 1 m, certified to Energy Efficiency Level VI, compliant with RoHS Directive.

Maximum heating intensity is 240 W.

8. WARRANTY

1. The warranty is provided for the period of 24 months.
2. The warranty is in effect as of the purchase date.
3. Any defects detected during the warranty period will be removed free of charge within 30 business date following collection of the DCI Lounger from the customer.
4. The warranty card is valid together with the purchase document.
5. To perform a warranty repair, the vendor must be notified of the defect. The vendor collects and delivers the DCI Lounger at its own expense.
6. During the warranty period, a defective DCI Lounger will be repaired or replaced by the warrantor with a new one, free of defects.
7. In the case when it is not possible to repair or replace the DCI Lounger, the person submitting the complaint has the right to receive the amount paid or choose another DCI Lounger with similar specifications. Possible difference in price will be paid by the warrantor or the complainant, depending on the cost of the DCI Lounger selected by the complainant.
8. This warranty covers the defects of the DCI Lounger that have occurred in the course of appropriate use in accordance with the instruction manual.
9. The warranty does not cover the defects occurring as a result of:
 - unauthorized repairs, alterations and construction modifications performed by the user or other unauthorized persons,
 - mechanical, heat-induced, chemical damage or intentional damage to the DCI Lounger,
 - storage and maintenance of the DCI Lounger and other damage caused by the user,
 - natural deterioration of quality of the DCI Lounger resulting from the normal wear and tear, i.e. abrasion of outer coating, scratches, cracks, etc.
 - damage caused as a result of non-compliance with the operation principles or using the DCI Lounger not in accordance with its intended use,
 - damage resulting from non-compliance with the principles of operation of electrical devices and other damage caused due to User's fault, lack of knowledge or negligence.
10. User loses the warranty rights in the case of breaches of seals, warranty labels, removal or modifications of the DCI Lounger serial numbers, absence of the warranty card and the purchase document, as well as damages resulting from attempts to repair or alter made by unauthorized persons or companies.
11. To matters not regulated in the warranty, the Civil Code shall apply.

For your record, please complete the following information. You will need to refer to this information when calling for customer service.

Date of Purchase	
Date of Delivery	
Model Number	
Serial Number	
Dealer Information	

Contact Information for Customer Service

Address	5 Jardine House, Harrovian Business Village, Bessborough Road, Harrow on the Hill, Middlesex HA1 3EX
Tel. No.	(+44) 7741 554 508
E-mail:	office@d-codedinfrared.co.uk
Web:	www.d-codedinfrared.co.uk